



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

January 14, 2015

David Jones  
The Hartz Mountain Corporation  
400 Plaza Dr.  
Secaucus, NJ 07094

Subject: Label Notification per PRN 98-10 – Multiple Label Changes Discussed on  
12/16/14 at EPA HQ meeting  
Product Name: Hartz Reference #132  
EPA Registration Number: 2596-167  
Application Date: December 23, 2014  
Decision Number: 498734

Dear Mr. Jones:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

If you have any questions, please contact Maggie Rudick by phone at 703-347-0257, or via email at [rudick.maggie@epa.gov](mailto:rudick.maggie@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis", enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 3  
Invertebrate & Vertebrate Branch 1  
Registration Division (7505P)  
Office of Pesticide Programs

Hartz® Reference #132

Dec. 22~~23~~, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

## FRONT PANEL

# Hartz® Reference #132

*Alternate Brand Names (list at end of document)*

~~Hartz® UltraGuard® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~

~~Hartz® UltraGuard® Topical Flea & Tick Treatment [for Dogs (&) (and) Puppies]~~

~~Hartz® UltraGuard® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]~~

~~Hartz® UltraGuard® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]~~

~~Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]~~

~~Field & Stream® by Hartz® Flea & Tick Treatment [for Dogs (and) (&) Puppies]~~

~~Hartz® Presents Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]~~

~~Hartz® Revo® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo360® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo360® Topical Flea & Tick Treatment [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo360® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo360® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]~~

~~Revo® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~

~~Revo® Topical Flea & Tick Treatment [for Dogs (&) (and) Puppies]~~

~~Revo® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]~~

~~Revo® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]~~

~~Revo360® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~

~~Revo360® Topical Flea & Tick Treatment [for Dogs (&) (and) Puppies]~~

~~Revo360® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]~~

~~Revo360® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]~~

~~Revo® Topical Drops [for Dogs (&) (and) Puppies]~~

~~Revo360® Topical Drops [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo® Topical Drops [for Dogs (&) (and) Puppies]~~

~~Hartz® Revo360® Topical Drops [for Dogs (&) (and) Puppies]~~

~~Hartz® Pro Force™ Topical Solution for Dogs (& Puppies)~~

~~Pro Force™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® Pro Force™ Topical Solution for Dogs (& Puppies)~~

Formatted: Font: Not Bold, Underline

## NOTIFICATION

2596-167

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

01/14/2015

Hartz® Reference #132

Dec. 22~~23~~, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

~~Pro Force™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® FieldForce™ Topical Solution for Dogs (& Puppies)~~

~~FieldForce™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® FieldForce™ Topical Solution for Dogs (& Puppies)~~

~~FieldForce™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® First Defense™ Topical Solution for Dogs (& Puppies)~~

~~First Defense™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® First Defense™ Topical Solution for Dogs (& Puppies)~~

~~First Defense™ Topical Solution for Dogs (& Puppies)~~

*~~Each of the above brands will be packaged in the weight classes designated below:~~*

~~Weighing 5 to 14 lbs.~~

~~Weighing 15 to 30 lbs.~~

~~Weighing 31 to 60 lbs.~~

~~Weighing 61-150 lbs.~~

**ACTIVE INGREDIENTS:**

Etofenprox ..... 55.0%

\*Piperonyl Butoxide (PBO) .....  
10.0%

\*\*N-octyl bicycloheptene dicarboximide .....  
1.0%

**OTHER INGREDIENTS** ..... 34.0%

**TOTAL** ..... 100.0%

\*(butylcarbityl)(6-propylpiperonyl) ether and related compounds

\*\*MGK®264, Insecticide Synergist

MGK® - Registered trademark of McGlaughlin Gormley King Company

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** See back panel for additional precautionary statements.

**NET CONTENT:** Contains (number) tubes, each \_\_fl. oz. (\_\_ml)

<b>For use ONLY on Dogs and Puppies 12 weeks and older <del>W</del>weighing:</b>	<b>Net Contents (Each tube)</b>
5 to 14 lbs.	0.031 fl. oz. (0.91 ml <del>)</del>
15 to 30 lbs.	0.066 fl. oz. (1.95 ml <del>)</del>
31 to 60 lbs.	0.132 fl. oz. (3.90 ml <del>)</del>
61- <del>to</del> 150 lbs.	0.220 fl. oz. (6.50 ml <del>)</del>

Hartz® Reference #132

Dec. ~~22~~23, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

EPA Reg. No. 2596-167

EPA Est. No.

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.

Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 ~~(U.S.A.)~~

*[Cat Warning Icon: A cat prohibition icon will appear on the front panel ~~and back panels, and possibly an additional placement on a side panel.~~ lower right corner area. Icon is 1.5 cm x 1.5 cm black image on a yellow background.]*

**DO NOT USE ON CATS**

## BACK PANEL

Formatted: Font: 20 pt, Underline

~~READ ENTIRE LABEL BEFORE EACH USE~~

~~USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER~~

~~DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5LBS.~~

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### HAZARDS TO DOMESTIC ANIMALS

**DO NOT USE ON OTHER ANIMALS.** Do not use on dogs or puppies less than 12 weeks old or weighing less than 5lbs [or 15 lbs. or 31 lbs. or 61 lbs.]. Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or on animals known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap, rinse with large amounts of water, and consult a veterinarian immediately.

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish.

#### FIRST AID

**If in eyes** •Hold eye open and rinse slowly and gently with water for 15-20 minutes.

•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. •Call a poison control center or doctor for treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment. **For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414.**

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT!** READ ENTIRE LABEL BEFORE EACH USE

**FOR USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER**

**DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5LBS** [or 15 lbs. or 31 lbs. or 61 lbs.].

**DO NOT ALLOW YOUR DOG/PUPPY TO INGEST THIS PRODUCT.**

**DO NOT APPLY MORE THAN ONE TUBE PER TREATMENT.**

**DO NOT HAVE CONTACT WITH OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.**

**DO NOT USE ON OTHER ANIMALS.**

DIRECTIONS FOR USE (continued)

(The application steps below may optionally be numbered or bulleted to clarify the order, depending on the final physical layout of the label)

[Option 1]

Remove one applicator tube from the package and hold in an upright position (pointed away from your face). Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully. Position the tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

[Option 2]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you (move) (glide) from the shoulder blades along the dog's back to the base of the tail. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

[Option 3]

Remove one applicator tube from the package and hold in an upright position (pointed away from your face). Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully. Position the tip of the tube on the dog's back at the base of the dog's tail. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the base of the tail along the dog's back to the shoulder blades. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

[Option 4]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back at the base of the dog's tail. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you (move) (glide) from the base of the tail along the dog's back to the shoulder blades. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

Hartz® Reference #132

Dec. 2223, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

## STORAGE AND DISPOSAL

~~Do not contaminate water, food or feed by storage and disposal.~~

**PESTICIDE STORAGE:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse ~~for~~ refill container. *If empty:* Offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our (flea and tick) experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.)

[Place side effects box above Do Not Use on Cats icon]

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-275-1414.

[Cat Warning Icon: A cat prohibition icon will appear on the back panel, lower right corner area. Icon is 1.5 cm x 1.5 cm black image on a yellow background. The following text will be below or adjacent to the icon.]

**DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.**

## INDIVIDUAL TUBE TEXT

~~Hartz® UltraGuard® Topical Flea & Tick Prevention [for Dogs {(&) (and) Puppies} Weighing 5 to 14 lbs.]~~

~~Hartz® UltraGuard® Topical Flea & Tick Prevention [for Dogs {(&) (and) Puppies} Weighing 15 to 30 lbs.]~~

~~Hartz® UltraGuard® Topical Flea & Tick Prevention [for Dogs {(&) (and) Puppies} Weighing 31 to 60 lbs.]~~

~~Hartz® UltraGuard® Topical Flea & Tick Prevention [for Dogs {(&) (and) Puppies} Weighing (>)(Over) 60 lbs.]~~

~~Hartz® UltraGuard® Topical Flea & Tick Treatment [for Dogs {(&) (and) Puppies} Weighing 5 to 14 lbs.]~~

~~Hartz® UltraGuard® Topical Flea & Tick Treatment [for Dogs {(&) (and) Puppies} Weighing 15 to 30 lbs.]~~

~~Hartz® UltraGuard® Topical Flea & Tick Treatment [for Dogs {(&) (and) Puppies} Weighing 31 to 60 lbs.]~~

Formatted: Font: 14 pt

Formatted: Font: Italic

Formatted: Font: 16 pt

~~Hartz® UltraGuard® Topical Flea & Tick Treatment [for Dogs (&) (and) Puppies] Weighing (>)(Over) 60 lbs.]~~

~~Hartz® UltraGuard® Topical Flea & Tick Control [for Dogs (&) (and) Puppies] Weighing 5 to 14 lbs.]~~  
~~Hartz® UltraGuard® Topical Flea & Tick Control [for Dogs (&) (and) Puppies] Weighing 15 to 30 lbs.]~~  
~~Hartz® UltraGuard® Topical Flea & Tick Control [for Dogs (&) (and) Puppies] Weighing 31 to 60 lbs.]~~  
~~Hartz® UltraGuard® Topical Flea & Tick Control [for Dogs (&) (and) Puppies] Weighing (>)(Over) 60 lbs.]~~

~~Hartz® UltraGuard® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies] Weighing 5 to 14 lbs.]~~  
~~Hartz® UltraGuard® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies] Weighing 15 to 30 lbs.]~~  
~~Hartz® UltraGuard® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies] Weighing 31 to 60 lbs.]~~  
~~Hartz® UltraGuard® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies] Weighing (>)(Over) 60 lbs.]~~

~~Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]~~  
~~Field & Stream® by Hartz® Flea & Tick Treatment [for Dogs (and) (&) Puppies]~~  
~~Hartz® Presents Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]~~

Formatted: Not Highlight

~~Hartz® Pro Foree™ Topical Solution for Dogs (& Puppies)~~  
~~Pro Foree™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® Pro Foree™ Topical Solution for Dogs (& Puppies)~~  
~~Pro Foree™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® FieldForce™ Topical Solution for Dogs (& Puppies)~~  
~~FieldForce™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® FieldForce™ Topical Solution for Dogs (& Puppies)~~  
~~FieldForce™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® First Defense™ Topical Solution for Dogs (& Puppies)~~  
~~First Defense™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® First Defense™ Topical Solution for Dogs (& Puppies)~~  
~~First Defense™ Topical Solution for Dogs (& Puppies)~~

~~Hartz® Revo® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~  
~~Hartz® Revo® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~  
~~Hartz® Revo® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]~~  
~~Hartz® Revo® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]~~  
~~Hartz® Revo360°® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]~~  
~~Hartz® Revo360°® Topical Flea & Tick Treatment [for Dogs (&) (and) Puppies]~~  
~~Hartz® Revo360°® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]~~

Hartz® Reference #132

Dec. 2223, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

~~Hartz® Revo360® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]  
Revo® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]  
Revo® Topical Flea & Tick Treatment [for Dogs (&) (and) Puppies]  
Revo® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]  
Revo® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]  
Revo360® Topical Flea & Tick Prevention [for Dogs (&) (and) Puppies]  
Revo360® Topical Flea & Tick Treatment [for Dogs (&) (and) Puppies]  
Revo360® Topical Flea & Tick Control [for Dogs (&) (and) Puppies]  
Revo360® Topical Flea & Tick Solution [for Dogs (&) (and) Puppies]~~

~~Revo® Topical Drops [for Dogs (&) (and) Puppies]  
Revo360® Topical Drops [for Dogs (&) (and) Puppies]  
Hartz® Revo® Topical Drops [for Dogs (&) (and) Puppies]  
Hartz® Revo360® Topical Drops [for Dogs (&) (and) Puppies]~~

[Hartz Reference #132](#) *or* [ABN](#)

Formatted: Font: Italic

[Product name ~~will be~~ followed by weight [range and age limits](#) of dog for which tube is intended]

[A second weight class designation may be printed on the tube]

[Active Ingredients:]

Etofenprox 55.0%, PBO10.0%, MGK 264 1.0%

Keep Out of Reach of Children

Caution

Read accompanying label before use

Range of volumes from 0.031 fl. oz. (.91 ml) to 0.220 fl. oz (6.5 ml) depending upon weight of dog

EPA Reg. No. 2596-167

EPA Est. No.

## OPTIONAL/ALTERNATE LABEL TEXT

Formatted: Font: 16 pt

Weighing 5 to 14 lbs.

Weighing 15 to 30 lbs.

Weighing 31 to 60 lbs.

Weighing 61-to 150 lbs.

(S) Only (for) (Small) (Dogs) (&) Puppies 5-14 lbs.

(M) Only (for) (Medium) Dogs 15-30 lbs.

(L) Only (for) (Large) Dogs 31-60 lbs.

(XL) Only (for) (Extra Large) Dogs 60-150 lbs.

~~Made in the USA~~

-(Rapidly) (Quickly) eliminates fleas

Kills [(and) (&) Repels] Mosquitoes, Prevent re-infestation(s) for (28 days) (30 days) (1 month) (4 weeks)

Kills [(and) (&) Repels] Mosquitoes (before they bite) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Mosquitoes (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas (that may transmit tapeworm) (for) (28 days) (30 days) (1 month) (4 weeks)(on dogs)

Kills fleas that may cause flea allergy dermatitis (and flea bite anemia) (for) (28 days) (30 days) (1 month) (4 weeks) (on dogs)

Kills Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Brown Dog Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Deer Ticks (that may carry Lyme disease) (for) (28 days) (30 days) (1 month) (4 weeks)(on dogs)

Kills all biting stages of ticks

Kills adult (brown dog) ticks, nymphs and larvae

Kills Fleas, (and Ticks)

Kills Fleas, Ticks (through contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Brown Dog Ticks, Deer Ticks (through contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, (after contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Brown Dog Ticks, Deer Ticks (after contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Repels Mosquitoes (before they bite) (for) (28 days) (1 month) (4 weeks)

Repels Mosquitoes that may transmit West Nile virus (for) (28 days) (1 month) (4 weeks) (on dogs)

Repels Mosquitoes that may transmit heartworm (for) (28 days) (1 month) (4 weeks) (on dogs)

Once-a month Flea and Tick (Prevention) (Treatment) (Control) (Solution)

Monthly Flea and Tick (Prevention) (Treatment) (Control) (Solution)

(28 day) (30 day) (1 month) (4 weeks)Flea and Tick (Prevention) (Treatment) (Control) (Solution)

Gentle protection for dogs (and puppies)

Quick drying formula

Dries quickly

Quick drying

Stays on and doesn't rub off

Spreads with dog's natural skin oils

Kills fleas in as little as 15 minutes

Kills fleas in 15 minutes

Hartz® Reference #132

Dec. 2223, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

Kills fleas in 15 minutes and lasts for 30 days (1 month) (4 weeks)

Kills fleas within 15 minutes

Starts killing fleas within 15 minutes

Starts killing fleas within 15 minutes and lasts for 30 days (1 month) (4 weeks)

Stops fleas from biting in as little as 15 minutes

Stops fleas from biting in as little as 15 minutes and lasts for 30 days (1 month) (4 weeks)

Stops fleas from biting in 15 minutes

Stops fleas from biting in 15 minutes and lasts for 30 days (1 month) (4 weeks)

Stops fleas from biting within 15 minutes

Stops fleas from biting within 15 minutes and lasts for 30 days (1 month) (4 weeks)

Kills fleas for 30 days (1 month) (4 weeks)

Rapidly eliminates fleas

Fast acting

Long lasting

Effective and convenient topical treatment

Kills fleas (and ticks) through (after) contact

(With) patented applicator

(With) patent pending applicator

Easy spot on topical applicator

Kills 95% of fleas in 8 hours (of initial application)

Kills 99% of fleas in 12 hours (of initial application)

Kills fleas before they have a chance to lay eggs

New (Formula) (*claim to be removed after 6 months*)

### **NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT**

1<sup>st</sup> dose, 2<sup>nd</sup> dose, 3<sup>rd</sup> dose (X<sup>th</sup> dose)

First month, second month, third month (Xth month)

X-pack

X-tubes

Value pack

X month supply

X monthly treatment(s)

*[Six month limited claims with "Free" and "Bonus" type terms below]*

Buy X Get Y Free

Z % Free

(x)% (More) (Free)!

(x) Month(s) Free!

Bonus Pack

(x) Tube(s) Free!

(x) Day(s) (Free)!

(x) Day(s) of treatment- Free!

(x) Applicator(s) Free!

(x) Dose(s) Free!

Formatted: Font: Italic

Formatted: Keep lines together

Hartz® Reference #132

Dec. 2223, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

[Save Now!](#)

[Club Size](#)

[Value Size](#)

[Club Pack](#)

[Great Value](#)

[Better Value](#)

Fragrance-free

Unscented

Fresh (scent) (fragrance)

Powder (scent) (fragrance)

Pleasant (scent) (fragrance)

Spring Fresh Scent

[Advanced Pro-Glide® Applicator](#)

Convenient (easy to use) applicator

X Pro-cision Flo® Applicator(s)

X Pro-Glide™ Applicator(s)

(Pro-cision Flo® Applicator) (Now) (featuring the angled)

(Pro-Glide™ Applicator) easily gets through dog's fur, for gentle on-skin application

(Pro-cision Flo® Applicator) (Now) (featuring the angled)

(Pro-Glide™ Applicator) quickly gets through dog's fur, for on-skin application

(Pro-cision Flo® Applicator) (Now) (featuring the angled)

(Pro-Glide™ Applicator) easily penetrates dog's fur, for gentle on-skin application

(Pro-cision Flo® Applicator) (Now) (featuring the angled)

(Pro-Glide™ Applicator) quickly penetrates dog's fur, for on-skin application

New Pro- Glide™ Applicator (*To be used only for the first 6 months*)

Pro-Glide™ Applicator gently glides through the dog's fur

Pro-Glide™ Applicator easily gets through dog's fur to minimize (oily) residue

Pro-Glide™ Applicator easily penetrates dog's fur to minimize (oily) residue

Pro-Glide™ Applicator features rounded edges for gentle on-skin application

Pro-Glide™ Applicator glides smoothly through the dog's fur

Pro-Glide™ Applicator features an angled tip to help guide the application

Easy to use Pro-Glide™ Applicator

Direct to your dog's skin

Easy (simple) to use (handle) (apply)

(Featuring the) (with) EZC™ tube

(Featuring the) (with) EZ2C™ tube

(Featuring the) (with) EZView™ tube

(Featuring the) (with) EZView™ tube

(Featuring the) (with) Clearview™ tube

(Featuring the) (with) Clearview™ tube

Hartz® Reference #132

Dec. 22~~23~~, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

(Clearview™) (EZC™) (EZ2C™) (EZView™) tube (visually) ensures all product has been dispensed

(Clearview™) (EZC™) (EZ2C™) (EZView™) tubes give you the assurance all the product has been applied

After application, the treated area may appear wet (or) (oily) for up to 24 hours

You may bathe your dog 48 hours after application

To help remind you when you last applied treatment, simply write in the date when each dose is applied:

First Dose \_\_\_\_\_

Second Dose \_\_\_\_\_

Third Dose \_\_\_\_\_

Xth Dose \_\_\_\_\_

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

Additional Brand Names:

[Hartz® UltraGuard® Topical Flea & Tick Prevention \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® UltraGuard® Topical Flea & Tick Treatment \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® UltraGuard® Topical Flea & Tick Control \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® UltraGuard® Topical Flea & Tick Solution \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Field & Stream® Flea & Tick Treatment \[for Dogs \(and\) \(&\) Puppies\]](#)

[Field & Stream® by Hartz® Flea & Tick Treatment \[for Dogs \(and\) \(&\) Puppies\]](#)

[Hartz® Presents Field & Stream® Flea & Tick Treatment \[for Dogs \(and\) \(&\) Puppies\]](#)

[Hartz® Revo® Topical Flea & Tick Prevention \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® Revo® Topical Flea & Tick Prevention \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® Revo® Topical Flea & Tick Control \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® Revo® Topical Flea & Tick Solution \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® Revo360°® Topical Flea & Tick Prevention \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® Revo360°® Topical Flea & Tick Treatment \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® Revo360°® Topical Flea & Tick Control \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® Revo360°® Topical Flea & Tick Solution \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo® Topical Flea & Tick Prevention \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo® Topical Flea & Tick Treatment \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo® Topical Flea & Tick Control \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo® Topical Flea & Tick Solution \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo360°® Topical Flea & Tick Prevention \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo360°® Topical Flea & Tick Treatment \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo360°® Topical Flea & Tick Control \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo360°® Topical Flea & Tick Solution \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Revo® Topical Drops \[for Dogs \[\(&\) \(and\) Puppies\]](#)

Hartz® Reference #132

Dec. 22~~23~~, 2014

EPA Reg. No.: 2596-167

MASTER LABEL BASED ON EPA STAMPED DATE 9/29/2011 and Subsequent Notifications

[Revo360°® Topical Drops \[for Dogs \[\(&\) \(and\) Puppies\]](#)  
[Hartz® Revo® Topical Drops \[for Dogs \[\(&\) \(and\) Puppies\]](#)  
[Hartz® Revo360°® Topical Drops \[for Dogs \[\(&\) \(and\) Puppies\]](#)

[Hartz® Pro Force™ Topical Solution for Dogs \(& Puppies\)](#)  
[Pro Force™ Topical Solution for Dogs \(& Puppies\)](#)  
[Hartz® Pro Force™ Topical Solution for Dogs \(& Puppies\)](#)  
[Pro Force™ Topical Solution for Dogs \(& Puppies\)](#)

[Hartz® FieldForce™ Topical Solution for Dogs \(& Puppies\)](#)  
[FieldForce™ Topical Solution for Dogs \(& Puppies\)](#)  
[Hartz® FieldForce™ Topical Solution for Dogs \(& Puppies\)](#)  
[FieldForce™ Topical Solution for Dogs \(& Puppies\)](#)

[Hartz® First Defense™ Topical Solution for Dogs \(& Puppies\)](#)  
[First Defense™ Topical Solution for Dogs \(& Puppies\)](#)  
[Hartz® First Defense™ Topical Solution for Dogs \(& Puppies\)](#)  
[First Defense™ Topical Solution for Dogs \(& Puppies\)](#)

*[Each of the above brands will be packaged in the weight classes designated below:]*

[For use ONLY on dogs 12 weeks and older, weighing 5 to 14 lbs.](#)

[For use ONLY on dogs 12 weeks and older, weighing 15 to 30 lbs.](#)

[For use ONLY on dogs 12 weeks and older, weighing 31 to 60 lbs.](#)

[For use ONLY on dogs 12 weeks and older, weighing 61 to 150 lbs.](#)